



Model selection overview

Compare the current Mynlox range before requesting a configuration and quotation.

Start with the task

Air Compression	Compare controller configuration, power and sleeve size.
Hand & Upper Limb	Separate finger training from wrist-joint training; then compare controls, power and timing.
Patient Transfer	Compare equipment configuration, dimensions and rated load for the transfer task.
Massage & Home Care	Review the wearable massager configuration and power requirements.

Prepare your inquiry

1. Choose a model or a shortlist.
2. State the destination market and an initial quantity range.
3. Describe logo, packaging, language or configuration changes.
4. Request the manual and test documents needed for that exact configuration.

This overview includes 12 English model sheets. It is a selection aid; order-specific configuration and documentation are confirmed with the quotation.

mynlox.com/model-guide/ | mynlox.com/resources/
coco@minlemynlox.com



Configuration overview

Air Compression

Model	Configuration highlights
ML-370	Wearable leg sleeves; Display controls; Kit and controller views
ML-371 Pro	Five operating modes; Colour display; Detachable pump units; Quick-deflation feature
ML-371 ProMax	Wearable leg compression sleeves; Display controllers; Five massage modes
ML-372	Leg air compression format; Wearable sleeve design

Hand & Upper Limb

Model	Configuration highlights
ML-113	Wearable finger-training glove; Display controller; Carrying case and accessory set
ML115A	Wearable training glove with portable controller; Mirror-training and finger-control functions; USB connection and belt carrying option
ML-116	Mirror-training function; Individual finger control; Heating feature; Voice prompts
ML-117	Tabletop wrist-training format; Hand support and fastening straps; Model-specific operating demonstration
ML-120	Wearable training glove; Individual finger control; Compact display controller

Patient Transfer

Model	Configuration highlights
ML-103C	Patient-transfer equipment; Model-specific product view; Configuration enquiry for the transfer setting
ML-107	Electric lifting mechanism; Suspended seat and safety belt; Folding base with caster wheels

Massage & Home Care

Model	Configuration highlights
ML-332	Open-eye wearable design; Handheld controller; Multiple product views and an operating demonstration

Compare equivalent measurements: gross, net and unspecified weight descriptions retain their original meaning. The following sheets record the model specifications.

[Request a configuration and quotation at mynlox.com/contact/.](https://mynlox.com/contact/)

ML-332

Massage & Home Care | English model sheet



Configuration highlights

Open-eye wearable design

Handheld controller

Multiple product views and an operating demonstration

Specifications and configuration

Product name	Head sleep massager
Input power	8 W
Input voltage	5 V
Battery capacity	3.7 V / 2400 mAh
Net weight	590 g

Confirm the selected size, accessories, packaging and market-specific documents with your quotation. Images illustrate the model configuration; supplied items are agreed in the order.

Model information sheet. Request the applicable user manual and test documents for your selected configuration and destination market.

Product: mynlox.com/products/ml-332-head-and-eye-massager/

Inquiry: coco@minlemynlox.com | mynlox.com/contact/

ML-113

Hand & Upper Limb | English model sheet



Configuration highlights

- Wearable finger-training glove
- Display controller
- Carrying case and accessory set

Specifications and configuration

Battery	7.4 V / 2500 mAh
Training modes	Five: five fingers, single finger, pair of fingers, multi-finger, and mirror image
Speed adjustment	15 levels; default is level 5 at startup
Strength adjustment	15 levels; default is level 5 at startup
Stretching adjustment	Speed and intensity are adjustable individually
Grip adjustment	Speed and strength are adjustable separately
Timer	Default 15 minutes; adjustable from 5 to 30 minutes in 5-minute increments
Use time	About 2 hours in five-finger mode
Charging time	About 2.5 hours
Product size	15.7 x 15.7 x 7.7 cm
Gross weight per piece	2 kg
Color box size	37.5 x 28.5 x 9.5 cm
Pieces per carton	10 pcs
Carton size	57.5 x 38.5 x 52 cm
Gross weight per carton	24 kg

Shown components: Glove and display controller; Carrying case and accessory set.

Confirm the selected size, accessories, packaging and market-specific documents with your quotation. Images illustrate the model configuration; supplied items are agreed in the order.

Model information sheet. Request the applicable user manual and test documents for your selected configuration and destination market.

Product: mynlox.com/products/ml-113-finger-training-system/

Inquiry: coco@minlemynlox.com | mynlox.com/contact/

ML115A

Hand & Upper Limb | English model sheet



Configuration highlights

- Wearable training glove with portable controller
- Mirror-training and finger-control functions
- USB connection and belt carrying option

Specifications and configuration

Components	Controller and wearable glove
Connection	USB
Carrying option	Belt
Rated current	2 A $\pm$ 0.3 A
Battery capacity	2400 mAh
Charging time	Approximately 4 hours
Timer	15 minutes
Controller dimensions	110 x 70 x 45 mm

Shown components: Controller; Wearable glove.

Confirm the selected size, accessories, packaging and market-specific documents with your quotation. Images illustrate the model configuration; supplied items are agreed in the order.

Model information sheet. Request the applicable user manual and test documents for your selected configuration and destination market.

Product: mynlox.com/products/ml115a-portable-hand-training-device/

Inquiry: coco@minlemynlox.com | mynlox.com/contact/



ML-116

Hand & Upper Limb | English model sheet



Configuration highlights

- Mirror-training function
- Individual finger control
- Heating feature
- Voice prompts

Specifications and configuration

Battery	7.4 V / 2000 mAh
Training modes	Five: five fingers, single finger, pair of fingers, multi-finger, and mirror image
Voice prompts	Voice broadcast function
Speed adjustment	9 levels with memory of the last-use setting
Strength adjustment	9 levels with memory of the last-use setting
Heating adjustment	3 levels: low, medium, and high
Timer	10, 20, or 30 minutes
Use time	About 80 minutes with heating or 150 minutes without heating, in five-finger mode
Charging time	About 2 hours
Product size	14.3 x 12.1 x 6.75 cm
Gross weight per piece	1.5 kg
Color box size	34 x 27 x 9 cm
Pieces per carton	10 pcs
Carton size	55 x 35.5 x 47.5 cm
Gross weight per carton	15.8 kg

Shown components: Training glove; Controller.

Confirm the selected size, accessories, packaging and market-specific documents with your quotation. Images illustrate the model configuration; supplied items are agreed in the order.

Model information sheet. Request the applicable user manual and test documents for your selected configuration and destination market.

Product: mynlox.com/products/ml-116-hand-training-system/

Inquiry: coco@minlemynlox.com | mynlox.com/contact/

ML-117

Hand & Upper Limb | English model sheet



Configuration highlights

- Tabletop wrist-training format
- Hand support and fastening straps
- Model-specific operating demonstration

Specifications and configuration

Input voltage	5 V
Rated input power	8 W
Charging time	120 minutes
Product size	39.5 x 16.4 x 6.5 cm
Gross weight per piece	1.58 kg
Color box size	41.5 x 17.8 x 7.8 cm
Pieces per carton	10 pcs
Carton size	41.5 x 37 x 40 cm
Gross weight per carton	17.1 kg

Confirm the selected size, accessories, packaging and market-specific documents with your quotation. Images illustrate the model configuration; supplied items are agreed in the order.

Model information sheet. Request the applicable user manual and test documents for your selected configuration and destination market.

Product: mynlox.com/products/ml-117-wrist-joint-trainer/
 Inquiry: coco@minlemynlox.com | mynlox.com/contact/

ML-120

Hand & Upper Limb | English model sheet



Configuration highlights

- Wearable training glove
- Individual finger control
- Compact display controller

Specifications and configuration

Training modes	Five: five fingers, single finger, opposite finger, multi-finger, and mirror
Speed adjustment	5 levels; default is level 3
Strength adjustment	5 levels; default is level 3
Timer	15 minutes
Power configuration	Plug-in model; no battery
Gross weight per piece	0.7 kg
Color box size	22.5 x 14.3 x 9.8 cm
Pieces per carton	20 pcs
Carton size	47 x 31 x 53 cm
Gross weight per carton	16 kg

Shown components: Wearable glove; Controller.

Confirm the selected size, accessories, packaging and market-specific documents with your quotation. Images illustrate the model configuration; supplied items are agreed in the order.

Model information sheet. Request the applicable user manual and test documents for your selected configuration and destination market.

Product: myntax.com/products/ml-120-hand-training-system/

Inquiry: coco@minlemyntax.com | myntax.com/contact/

ML-370

Air Compression | English model sheet



Configuration highlights

- Wearable leg sleeves
- Display controls
- Kit and controller views

Specifications and configuration

Product size	88 x 80 cm (M) / 100 x 84 cm (L)
Gross weight per piece	3.2 kg
Color box size	38 x 18 x 32 cm
Pieces per carton	3 pcs
Carton size	56 x 39.5 x 34.5 cm
Gross weight per carton	10.4 kg

Shown components: Compression sleeves; Controllers.

Confirm the selected size, accessories, packaging and market-specific documents with your quotation. Images illustrate the model configuration; supplied items are agreed in the order.

Model information sheet. Request the applicable user manual and test documents for your selected configuration and destination market.

Product: mynlox.com/products/ml-370-leg-air-compression-system/

Inquiry: coco@minlemynlox.com | mynlox.com/contact/



ML-371 Pro

Air Compression | English model sheet



Configuration highlights

- Five operating modes
- Colour display
- Detachable pump units
- Quick-deflation feature

Specifications and configuration

Timing	15 / 30 / 45 minutes, optional
Output	7.4 V, 2.6 A
Pressure range	30-240 mmHg
Charging method	DC
Battery	3200 mAh / 7.4 V
Product size	88 x 80 cm (M) / 100 x 84 cm (L)
Gross weight per piece	3 kg
Pieces per carton	4 pcs
Carton size	59 x 39.5 x 40.5 cm
Gross weight per carton	13 kg

Confirm the selected size, accessories, packaging and market-specific documents with your quotation. Images illustrate the model configuration; supplied items are agreed in the order.

Model information sheet. Request the applicable user manual and test documents for your selected configuration and destination market.

Product: mynlox.com/products/ml-371-pro-air-compression-system/

Inquiry: coco@minlemynlox.com | mynlox.com/contact/



ML-371 ProMax

Air Compression | English model sheet



Configuration highlights

Wearable leg compression sleeves

Display controllers

Five massage modes

Specifications and configuration

Timing	15 / 30 / 45 minutes, optional
Output	7.4 V, 2.6 A
Pressure range	30-240 mmHg
Charging method	DC
Battery	3200 mAh / 7.4 V
Dual-host operation	Independent dual air supply
Compression chambers	5 chambers
Product size	88 x 80 cm (M) / 100 x 84 cm (L)
Weight per piece	3.66 kg
Color box size	38 x 19 x 28.5 cm
Pieces per carton	4 pcs
Carton size	59 x 39.5 x 40.5 cm
Gross weight per carton	15.6 kg

Shown components: Compression sleeves; Display controllers.

Confirm the selected size, accessories, packaging and market-specific documents with your quotation. Images illustrate the model configuration; supplied items are agreed in the order.

Model information sheet. Request the applicable user manual and test documents for your selected configuration and destination market.

Product: mynlox.com/products/ml-371-promax-leg-air-compression-system/

Inquiry: coco@minlemynlox.com | mynlox.com/contact/

ML-372

Air Compression | English model sheet



Configuration highlights

Leg air compression format
Wearable sleeve design

Specifications and configuration

Product size	88 x 80 cm (M) / 100 x 84 cm (L)
Weight per piece	4.7 kg
Color box size	38 x 21 x 28.5 cm
Pieces per carton	4 pcs
Carton size	59 x 39.5 x 44.5 cm
Gross weight per carton	20 kg

Shown components: Leg sleeves.

Confirm the selected size, accessories, packaging and market-specific documents with your quotation. Images illustrate the model configuration; supplied items are agreed in the order.

Model information sheet. Request the applicable user manual and test documents for your selected configuration and destination market.

Product: mynlox.com/products/ml-372-air-compression-system/

Inquiry: coco@minlemynlox.com | mynlox.com/contact/

ML-103C

Patient Transfer | English model sheet



Configuration highlights

Patient-transfer equipment

Model-specific product view

Configuration enquiry for the transfer setting

Specifications and configuration

Product size	54 x 74 x 99 cm
Weight per piece	25 kg
Pieces per carton	1 pc
Carton size	100 x 60 x 40 cm
Gross weight per carton	35 kg
Type	Hanging basket; detachable seat cushion
Lifting range	330 mm
Lifting speed	10 mm/s
Battery	11.1 V lithium battery, directly chargeable
Bearing weight	120 kg
Base	Foldable

Confirm the selected size, accessories, packaging and market-specific documents with your quotation. Images illustrate the model configuration; supplied items are agreed in the order.

Model information sheet. Request the applicable user manual and test documents for your selected configuration and destination market.

Product: mynlox.com/products/ml-103c-patient-transfer-equipment/

Inquiry: coco@minlemynlox.com | mynlox.com/contact/

ML-107

Patient Transfer | English model sheet



Configuration highlights

- Electric lifting mechanism
- Suspended seat and safety belt
- Folding base with caster wheels

Specifications and configuration

Elevation range	40-75 cm
Rated load	120 kg
Product dimensions	88 x 65 x 105 cm
Product weight	About 30 kg
Outer box dimensions	95 x 60 x 40 cm
Outer box weight	About 35 kg
Lifting speed	10 mm/s

Shown components: Suspended seat; Safety belt.

Confirm the selected size, accessories, packaging and market-specific documents with your quotation. Images illustrate the model configuration; supplied items are agreed in the order.

Model information sheet. Request the applicable user manual and test documents for your selected configuration and destination market.

Product: mynlox.com/products/ml-107-electric-patient-transfer-lift/

Inquiry: coco@minlemynlox.com | mynlox.com/contact/